

3-1040-244.35 P

TM 3-1040-244-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DS, GS, AND DEPOT MAINTENANCE
REPAIR PARTS AND SPECIAL TOOLS LIST

COMPRESSOR, RECIPROCATING, POWER-DRIVEN,
FLAMETHROWER, 3-1/2 CFM, AN-M4B
(STEWART-WARNER MODEL NO. 3260101-4)
(FSN 1040-848-6075)

AND

COMPRESSOR, RECIPROCATING, POWER-DRIVEN,
FLAMETHROWER, 3-1/2 CFM, AN-M4C
(STEWART-WARNER MODEL NO. 3260101-6)
(FSN 1040-078-5431)

HEADQUARTERS, DEPARTMENT OF THE ARMY

AUGUST 1970

D 101. 11:

CHANGE }

NO. 1 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D.C. 23 September 1976

**Direct Support, General Support and Depot Maintenance Repair Parts
And Special Tools List**

**COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN,
FLAMETHROWER, 3-1/2 CFM, AN-M4B
(STEWART-WARNER MODEL NO. 3260101-4)
(FSN 4310-848-6075)**

AND

**COMPRESSOR UNIT, RECIPROCATING, POWER-DRIVEN,
FLAMETHROWER, 3-1/2 CFM, AN-M4C
(STEWART-WARNER MODEL NO. 3260101-6)
(FSN 4310-078-5431)**

Current as of March 1976

TM 3-1040-244-35P, 5 August 1970, is changed as follows.

The title and FSNs in this manual are changed as shown above.

Page 1, SECTION II Group 200 change title "Moisture Separator" to "Water Separator". Group 300 change title to "Compressor Assembly."

Page 5, Paragraph 8 is superseded as follows:

**8. Recommendations for Maintenance
Publications Improvements**

You can improve this manual by recommending improvements using DA Form 2028 (Recommended Changes to Publications and Blank Forms) or a letter and mailing direct to Commander, Edgewood Arsenal, ATTN: SAREA-DE-ET, Aberdeen Proving Ground, MD 21010. A reply will be furnished direct to you.

Page 6, column (2), Change FSN "5310-849-7733" to FSN "5310-880-5977."

Page 7, GROUP 200, change "MOISTURE SEPARATOR" to "WATER SEPARATOR."

Page 7, column (2), Change FSN "5305-043-6749" to FSN "5305-989-6265." Column (3) change "MS35226-62" to "MS35226-262."

Page 8, column (1), line 3, Change "P" code to "MF." Column (2), line 2, delete FSN "4720-788-0901." Column (3), line 12, delete reference number "3260551 (78385)" and add "manufactured from 4710-277-5525."

Page 8, column (5), line 7, Change "3" to "2."

Page 9, line 1, Delete in entirety.

Page 11, GROUP 300, change title to "COMPRESSOR ASSEMBLY."

Page 13, column (1), line 3, Change code "P" to

"XB." column (2), line 3, change FSN "1040-906-7901" to FSN "4310-906-7905."

Page 14, column (3), line 4, Change "MS3526-69" to "MS35265-69."

Page 15, column (2), line 5, Change FSN "5340-989-6774" to FSN "5360-989-6774."

Page 18, column (3), line 23, "MSS5310-6 (08288)" change to "50FK420 (56878)."

Page 19, column (2), line 3, FSN "5340-989-6775" change to FSN "5360-989-6775."

Page 21, column (2), line 5, FSN "5330-999-0677" change to "5330-988-8809."

Page 22, column (3), line 15, Add reference number "50FK420 (56878)." Column (2), line 8, FSN "5340-804-6855" change to FSN "5365-804-6855."

Page 23, column (2), line 2, FSN "4310-790-0985" change to FSN "1620-790-0985."

Page 25, column (2), line 1, FSN "3110-227-3181" change to "FSN 3110-807-3181." Column (3), line 13, delete "aluminum alloy sheet, .090 thickness type 6061-0, QQ-A-250/11 FSN 9535-232-0321." Add "FSN 9515-825-4238 cres. .010 thk QQ-S-766 (81348)."

Page 26, column (1), line 1, "Code P" change to "XA." Column (2), lines 1 and 2, delete FSN "4310-906-1008" and FSN "4310-980-0664." Column (1), line 3, change code "H" to "O." Column (3), line 10, "MS203641032A" change to "MS20364-1032A."

Page 28, column (2), line 6, "FSN 3020-971-1366" change to "FSN 2990-971-1366."

Page 29, column (2), line 5, FSN "1040-971-4920" change to FSN "5340-971-4920." Column (2), line 6, FSN "5305-043-6749" change to FSN "5305-989-6265." Column (3), line 18, MS35226-62" change to "MS35226-262."

Page 30, column (3), line 17. "500592 (10001)" change to "428-0323 (78385)."

Page 31, column (1), line 1. Code "H" change to "F." Column (3), line 3, "CAGE, PROTECTING" change to "FRAME TOP." Column (2), line 2. FSN "1040-763-3254" change to FSN "9905-763-3254." Column (3), line 7, reference number "4340233" change to "4340172." Column (2), line 3. FSN "5305-043-6749" change to FSN "5305-959-6265." Column (3), line 11, "MS35226-62" change to "MS 35226-262."

Page 33, column (3), lines 4 and 5. "FRAME, ENGINE MOUNTING, 4407-0058 (78385)" change to "FRAME, BOTTOM E68-13-1590 (81361)." Columns 7(a), (b), (c), 8 and 9. Remove "REF" and add "•."

Page 34, column (1), line 3. "Code P" change to "XB." Column (2), line 2, delete FSN "4030-956-

6126." Add the following parts to GROUP 500 - FRAME AND FUEL TANK.

Page 36, Add the following kit to GROUP 600 - REPAIR KITS.

	Column (4)	Column (5)		
P-H-4310-574-7708	KIT, DISK, RUPTURE	ea	1	
	408-0236 (78385)			
	C O	Fig	Item	
1	EA RETAINER	6	1	
	130B2746 (78385)			
1	EA RING, DISK	6	2	
	2740251 (78385)			

Page 37, figure 2. Delete items 11 and 12.

Page 47. Add figure 14.

Page 30, column (3), line 17. "500592 (10001)" change to "428-0323 (78385)."

Page 31, column (1), line 1. Code "H" change to "F". Column (3), line 3, "CAGE, PROTECTING" change to "FRAME TOP". Column (2), line 2. FSN "1040-763-3254" change to FSN "9905-763-3254". Column (3), line 7, reference number "4340233" change to "4340172". Column (2), line 3. FSN "5305-043-6749" change to FSN "5305-989-6265". Column (3), line 11, "MS35226-62" change to "MS 35226-262".

Page 33, column (3), lines 4 and 5. "FRAME, ENGINE MOUNTING, 4407-0058 (78385)" change to "FRAME, BOTTOM E68-13-1590 (81361)". Columns 7(a), (b), (c), 8 and 9. Remove "REF" and add "•".

Page 34, column (1), line 3. "Code P" change to "XB". Column (2), line 2, delete FSN "4030-956-

6126". Add the following parts to GROUP 500 - FRAME AND FUEL TANK.


Page 36. Add the following kit to GROUP 600 - REPAIR KITS.

	Column (4)	Column (5)		
P-H-4310-574-7708	KIT, DISK, RUPTURE	ea	1	
	408-0236 (78385)			
	C.O	Fig		Item
1	EA RETAINER	6		1
	130B2746 (78385)			
1	EA RING, DISK	6		2
	2740251 (78385)			

Page 37, figure 2. Delete items 11 and 12.

Page 47. Add figure 14.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
SMR CODE	FUNCTIONAL STOCK NUMBER	DESCRIPTION	UNIT OF MEAS	QTY IN UNIT	30 DAY IN MAINT ALLOWABLE (a) (b) (c) 1 20 41 50 51 100	30 DAY OS MAINT ALLOWABLE (a) (b) (c) 1 20 41 50 51 100	1 YR DEP MAINT 100 PER CENT	ILLUSTRATION (a) (b) FIG NO	
		Reference Number & Misc. Code							
		GROUP 500 - Continued							
N P 0	5330-805-2966	CHARGING HOSE PACKING, PREFORMED MS28778-4 (96906)	EA	1	*	*	*	14	1
N P 0	4730-933-0723	ELBOW, TUBE TO BOSS MS51528-A4 (96906)	EA	1	*	*	*	14	2
N P 0	4730-084-0435	TEE, PIPE TO TUBE B68-13-1553 (81361)	EA	1	*	*	*	14	3
N P 0	6685-087-6925	GAGE, PRESSURE DIAL INDICATING 21-25DFM 1-4 CBM 3000 (38508)	EA	1	*	*	*	14	4
N P 0	4730-618-3410	ADAPTER B81-3-30 (81361)	EA	1	*	*	*	14	5
N P 0	4720-289-2630	HOSE ASSEMBLY, NONMETALLIC B81-3-65 (81361)	EA	1	*	*	*	14	6
N P 0	1040-759-7352	VALVE ASSEMBLY C81-6-407 (81361)	EA	1	*	*	*	14	7
N P 0	4730-851-2278	ADAPTER, STRAIGHT, PIPE TO TUBE B81-6-384 (81361)	EA	1	*	*	*	14	8
N P 0	4730-863-0774	COUPLING HALF, QUICK DISCONNECT 2AEF2 (95138)	EA	1	*	*	*	14	9



MU-E-239-35P-14

Figure 14 Charging hose

Page 48, Section IV, is superseded by the following

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
1040-076-8849	9	2	1040-906-7905	7	13
1040-081-8079	13	15	1040-906-7906	7	14
1040-083-2606	1	1	1040-906-7909	4	16
1040-083-2607	1	3	1040-921-5291	13	1
1040-083-2608	1	9	1040-921-5294	7	17
1040-083-2614	1	7	1040-921-5295	10	7
1040-083-2617	3	5	1040-921-5296	10	6
1040-084-0436	12	6	1040-921-5297	12	9
1040-084-0438	2	16	1040-921-5298	13	13
1040-727-3731	4	11	1040-921-5299	3	4
1040-759-3895	9	9	1040-921-5300	3	9
1040-759-7352	14	7	1040-921-5301	10	1
1040-759-9767	9	4	1040-971-4921	11	9
1040-764-5948	5	6	1040-976-8980	13	26
1040-764-5949	5	2	1040-994-7985	13	9
1040-784-7455	4	12	1270-830-2836	3 6	3 3
1040-788-5373	4	4	1620-790-0985	8	24
1040-788-5374	KIT	-	2805-068-7510	11	5
1040-863-7451	1	4	2805-759-3894	9	16
1040-906-7899	2	14	2910-912-9485	13	9
1040-906-7902	9	8			

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
2990-971-1366	11	6	4310-979-9295	6	22
3110-100-2394	9	7	4310-979-9296	7	19
3110-807-3181	9	11	4310-979-9299	KIT	-
3110-902-3397	9	11	4310-979-9300	KIT	-
3110-902-3398	9	7	4310-979-9301	KIT	-
3120-993-0093	4	13	4310-983-3072	4	5
4010-958-0633	13	23	4310-983-3075	7	8
4020-233-6555	1	8	4310-983-3076	6	7
4030-063-3979	13	25	4310-986-7764	6	21
4310-574-7708	KIT	-	4310-986-7766	4	14
4310-727-3736	8	20	4310-986-7767	8	16
4310-728-5126	4	3	4310-992-5746	9	8
4310-790-0954	8	9	4330-773-1216	5	5
4310-792-1491	5	1	4720-062-4332	12	7
4310-906-7901	4	15	4720-289-2630	14	6
4310-979-9284	6	6	4730-084-0435	14	3
4310-979-9287	8	15	4730-088-8520	6	20
4310-979-9288	8	14	4730-186-9997	7	18
4310-979-9289	8	13	4730-197-2916	6	7
4310-979-9294	8	11		8	1

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
4730-231-3026	2	20	5305-614-0246	10	11
4730-277-5083	6	8	5305-614-3423	4	8
	7	9	5305-806-1800	8	18
	8	2	5305-842-5646	4	20
4730-277-6372	2	9	5305-889-3002	4	1
4730-287-0092	10	3		9	12
4730-289-3070	13	12	5305-939-9190	11	1
4730-618-3410	14	5	5305-984-6211	10	5
4730-783-0902	2	8	5305-989-6265	2	2
4730-851-2278	14	8		12	1
4730-863-0774	14	9		13	3
4730-908-6292	2	15	5305-984-6215	8	6
4730-933-0723	14	2	5305-993-2459	13	17
4730-979-9281	7	17	5306-064-8407	11	10
4730-979-9296	7	19	5306-559-0474	9	13
4820-068-5052	2	17	5306-754-1787	2	4
4820-254-8640	12	8	5306-879-2800	1	2
4820-907-3448	2	13	5306-899-3002	9	12
5305-068-0500	11	7	5306-964-9603	4	9
5305-068-0507	13	20	5306-999-0488	4	17
5305-253-5609	9	3	5310-012-0379	9	14
			5310-061-7325	13	16

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
5310-183-4406	8	8	5310-809-8546	13	4
5310-186-4947	2	10	5310-877-5796	1	6
5310-194-0637	13	18		13	10
5310-209-0786	11	8	5310-880-5977	1	5
5310-270-8810	5	3	5310-934-9751	12	4
	11	4	5315-727-1636	8	25
5310-275-3683	3	4	5315-788-5372	9	10
5310-282-7834	2	18	5320-999-0397	13	14
5310-543-5933	11	3	5330-171-5099	3	2
5310-550-9449	6	11	5330-186-1295	6	9
	7	12		7	8
	8	19		8	3
	9	1	5330-263-8028	2	9
5310-559-0070	4	2	5330-263-8030	12	5
	4	7	5330-263-8031	13	11
5310-576-5752	4	19	5330-265-1075	13	24
	5	4	5330-582-7289	10	4
	8	7	5330-727-2240	8	17
	12	3	5330-788-0906	3	3
5310-596-7691	2	3	5330-788-0907	8	23
5310-596-7957	2	6	5330-805-2966	14	1
	8	5	5330-988-8808	7	16
	10	2			
	13	7			
5310-616-3056	2	19			
5310-788-0900	4	10			

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
5330-988-8809	8	10	5340-769-5311	4	6
5330-993-0084	9	6	5340-971-4920	11	11
5330-993-0085	9	17	5340-977-7247	13	19
5330-999-0462	13	5	5360-989-6774	6	5
5330-999-0478	7	15	5360-989-6775	7	14
5340-079-7837	12	2	5360-989-6776	8	12
5340-205-6301	2	1	6685-087-6925	14	4
5340-282-8335	13	6	7690-728-5129	3	7
5340-285-7010	4	18	9515-825-4238	9	15
5340-597-9408	13	8	9905-763-3254	13	2

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
A68-13-1523	81361	13	19	B68-13-1560	81361	13	26
A68-13-1528	81361	11	10	B68-13-1566	81361	12	6
A81-1-882	81361	13	22	B68-13-1567	81361	2	16
AN381-2-10	88044	6 7	14 7	B81-1-526	81361	13	25
AN381-15-16	88044	6 7	15 5	B81-1-6878	81361	1	2
AN6246-1	88044	7	10	B81-3-30	81361	14	5
AN6289D6	88044	6 8	8 2	B81-3-65	81361	14	6
AN6289-4	88044	2	9	B81-6-384	81361	14	8
AN814-50	88044	10	3	C68-13-1572	81361	11	2
AN833-4	88044	2	20	C81-6-407	81361	14	7
AN833-6D	88044	6 8	7 1	D68-13-1551	81361	1	1
AN837-6D	88044	7	18	D68-13-1570	81361	1	7
AN924-10D	88044	2	18	D81-1-6869-1	81361	1	3
AN960PD10	88044	8	8	D81-1-6872-1	81361	1	9
B68-13-1532	81361	11	6	D81-1-6876	81361	1	4
B68-13-1540	81361	11	11	E68-13-1587	81361	13	1
B68-13-1541	81361	11	9	LP20074-03-03	03038	4	17
B68-13-1553	81361	14	3	MIL-C-271	81349	13	23
				MIL-C-2533	81349	1	8
				MS134355	96906	10	15

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
MS15795-311	96906	1	5	MS29513-218	96906	13	24
MS16625-4037	96906	8	21	MS29561-013	96906	10	9
MS20074-03-03	96906	2	4	MS29561-127	96906	8	10
MS20364-1032A	96906	2	6	MS29561-217	96906	7	16
		8	5	MS29561-229	96906	8	17
		13	7				
MS21044N4	96906	1	6	MS35206-242	96906	4	1
		13	10	MS35206-264	96906	10	5
MS21045-4	96906	13	16	MS35206-268	96906	8	6
MS21318-13	96906	9	3	MS35207-283	96906	13	17
MS21333-67	96906	12	2	MS35226-262	96906	2	2
MS21919D-4	96906	2	1			12	1
						13	3
MS21919F8	96906	13	6	MS35265-43	96906	4	8
MS21919F10	96906	13	8	MS35265-69	96906	4	20
MS27183-8	96906	13	4	MS35266-63	96906	10	11
MS28777-4	96906	2	10	MS35275-265	96906	11	1
MS28777-6	96906	6	9	MS35292-32	96906	9	13
		8	3				
MS28778-4	96906	14	1	MS35333-38	96906	4	2
						4	7
MS29512-04	96906	2	11	MS35333-39	96906	4	19
MS29512-08	96906	13	11			5	4
						8	7
MS29512-6	96906	12	5			12	3

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
MS35333-73	96906	11	3	QQ-A-250/11	81348	2	5
MS35335-13	96906	11	8	QQ-S-766	81348	9	15
MS35335-32	96906	2	3	WW-T-775	81348	2	7
MS35335-40	96906	3	4	1-A0-8-111	88408	11	5
MS35335-41	96906	2	19	116-8100-14	78385	2	13
MS35337-26	96906	9	14	11681-811	30327	12	9
MS35650-104	96906	5	3	130A0456	78385	10	4
		11	4				
MS35650-302	96906	12	4	130A457	57733	6	10
						7	11
						8	4
MS35842-14	96906	2	15				
MS51528-A4	96906	14	2	13082746	78385	6	1
				13081136	78385	6	21
MS9015-08	96906	13	12	1481206	80201	9	17
MS90725-3	96906	11	7	1483006	80201	9	6
MS90726-7	96906	13	20	2AEF2	95138	14	9
MS9320-10	96906	13	18	21-25DFM1-4	38508	14	4
NAS1305-2EH	80205	9	12	CBM 3000			
PA821-0604	92033	2	8	2740251	78385	6	2
Q3L05X3A	43334	9	7	274103	78385	6	3
Q3L06X3A	43334	9	11	305	28986	2	17
Q8279	78385	6	19	3260100-4	78385	4	15
		7	20				

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
3260123	78385	9	8	3260159	78385	7	17
3260124	78385	4	9	3260161	78385	7	14
3260125	78385	4	13	3260162	57733	6	16
3260127	78385	9	9			7	1
3260128	78385	7	3	3260163	57733	6	17
3260129	78385	6	18			7	2
3260130	78385	6	13	3260164	78385	8	15
		7	6	3260165	78385	8	16
3260132	78385	4	14	3260167	78385	5	5
3260133	78385	6	12	3260168	57733	9	10
		7	4	3260169	78385	7	8
3260135	78385	8	9	3260170	78385	6	22
3260139	78385	8	24	3260179	78385	6	7
3260142	78385	8	20	3260135	78385	4	6
3260143	78385	8	23	3260188	57733	9	5
3260144	57733	8	22	3260229	78385	9	16
3260146	78385	8	14	3260240	78385	9	18
3260147	78385	8	11	3260243	78385	4	12
3260148	78385	6	5	3260265	78385	10	13
3260149	78385	8	13	3260266	78385	10	17
3260153	78385	8	25	3260267	78385	10	8

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
3260281	78385	9	4	412-0093	78385	9	8
3260299	78385	9	2	425-0124	78385	7	14
3260390	78385	4	3	428-0323	78385	12	9
3260391	78385	3	7	434-0167	78385	13	15
3260424	78385	5	1	434-0172	78385	13	2
3260548	57733	4	4	434-0230	78385	13	15
3260551	78385	2	7	4407-0058	78385	13	13
3260556	78385	10	12	4408-0054	78385	7	17
3260566	78385	10	10	4417-0013	78385	9	18
3260569	78385	10	14	4421-0021	78385	7	19
3590175	78385	4	11	4428-0167	78385	4	16
3750231	78385	6	20	4455-0017	78385	10	1
3750345	78385	4	5	4455-0020	78385	5	2
3800178	78385	6	4	4455-0021	78385	5	6
3800195	78385	6	6	4457-0010	78385	13	9
3800196	78385	8	12	4457-0016	78385	13	9
3811000	78385	2	14	448-0480	78385	10	16
3811021	78385	3	6	448-0483	78385	7	15
3811022	78385	3	1	448-0507	78385	13	5
407-0271	78385	13	21	457-0023	78385	10	6

**Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER**

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
465-0118	78385	7	13	628-0015	78385	12	8
48A113	78385	3	3	628-0041	78385	10	7
50FK420	56878	6	11	6480042-1	78385	13	14
		7	12				
		8	19	742d6	88044	4	18
		9	1				
52TE126	78926	4	10	803831	33525	12	7
614-0014	78385	9	7	8599621-330	99974	8	18
614-0015	78385	9	11	873561	33525	3	5

By Order of the Secretary of the Army:

Official:

PAUL T. SMITH
Major General, United States Army
The Adjutant General

FRED C. WEYAND
General, United States Army
Chief of Staff

DISTRIBUTION:

To be distributed in accordance with DA Form 12-28, Direct and General Support maintenance requirements for Flamethrowers, Service Unit Compressors.

TECHNICAL MANUAL

No. 3-1040-244-35P

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, D. C., 5 August 1970

**DS, GS, and Depot Maintenance
Repair Parts and Special Tools List**

**COMPRESSOR, RECIPROCATING, POWER-DRIVEN, FLAMETHROWER,
3 1/2 CFM, AN-M4B
(STEWART-WARNER MODEL NO. 3260101-4)
(FSN 1040-848-6075)
AND
COMPRESSOR, RECIPROCATING, POWER-DRIVEN, FLAMETHROWER,
3 1/2 CFM, AN-M4C
(STEWART-WARNER MODEL NO. 3260101-6)
(FSN 1040-078-5431)**

Current as of June 1970

SECTION		Paragraph	Page
I.	INTRODUCTION		
	Scope	1	2
	General	2	2
	Explanation of Columns	3	2
	Special Information	4	4
	How to Locate Repair Parts	5	4
	Abbreviations	6	4
	Federal Supply Codes for Manufacturers	7	4
	Recommendations for Maintenance Publication Improvements	8	5
II.	REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE		6
Group 100.	Canvas		6
Group 200.	Moisture Separator		7
Group 300.	Fan, Fan Guard, Aftercooler, Connecting Tube, and Basic Compressor Assembly		11
Group 400.	Engine		28
Group 500.	Frame and Fuel Tank		31
Group 600.	Repair Kits		35
SECTION III.	SPECIAL TOOLS, TEST AND SUPPORT EQUIPMENT (NOT APPLICABLE)		

LIST OF ILLUSTRATIONS

No.	Title	Page
1	Cover assembly	37
2	Moisture separator	37
3	Separator section	37
4	Fan, aftercooler, and basic compressor	38
5	Air intake filter	39
6	Third stage	40
7	Second stage	41
8	First stage	42
9	Endbell connecting rod and shaft	43
10	Oil reservoir and breather	44
11	Engine and mounting bracket	45
12	Engine accessories	46
13	Frame and fuel tank	47

**SECTION IV. FEDERAL STOCK NUMBER AND REFERENCE NUMBER
INDEX**

48

SECTION 1

INTRODUCTION

1. Scope

This manual lists repair parts, special tools, and special purpose test equipment required for the performance of direct support, general support, and depot maintenance of the AN-MBB and AN-MHC Compressors.

2. General

This repair parts and special tools list is divided into the following sections:

a. Repair Parts—Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level in figure and item number sequence.

b. Special Tools, Test and Support Equipment—Section III. Not applicable.

c. Federal Stock Number and Reference Number Index—Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alphanumeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns

The following provides an explanation of columns in the tabular lists in Sections II and IV:

a. Source, Maintenance, and Recoverability Codes (SMR) Column.

(1) Source code indicates the selection status and source for the listed item. Source codes used are:

Code	Explanation
P	Repair parts, special tools, and test equipment supplied from the GSA, DSA, or Army supply system, and authorized for use at indicated maintenance categories.
P2	Repair parts, special tools, and test equipment which are procured and stocked for maintenance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P10	Assigned to items which are NSA design controlled; unique repair parts, special tools, test, measuring, and diagnostic equipment, which are stocked and supplied by the Army COMSEC Logistic System, and

	Explanation
	which are not subject to the provisions of AR 380.41.
P10	Assigned to items which are NSA design controlled; special tools, test, measuring, and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380.41, and which are stocked and supplied by the Army COMSEC Logistic System.
M	Repair parts, special tools, and test equipment which are not procured or stocked, as such, in the supply system but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies that are not procured or stocked because the failure rate is normally below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by the next higher assembly or component.
X2	Repair parts, special tools, and test equipment which are not stocked and have no foreseen mortality. The indicated maintenance category requiring such repair parts will attempt to obtain the parts through cannibalization or salvage; the item may be requisitioned with exception data, from the end item manager, for immediate use.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DS and GS level. These assemblies will not be stocked above the DS and GS level or returned to depot supply level.

NOTE

Cannibalization or salvage may be used as a source of supply for any items source coded above except those coded X1.

(2) Maintenance code indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
C	Crew/operator Maintenance
O	Organizational Maintenance
F	Direct Support Maintenance
H	General Support Maintenance
D	Depot Maintenance

(3) Recoverability code indicates whether unserviceability items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Applied to repair parts, (assemblies and components), special tools, and test equipment which are considered economically repairable at direct and general support maintenance levels. When the item is no longer economically repairable, it is normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair parts, special tools, test equipment, and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	Higher dollar value recoverable repair parts, special tools, and test equipment which are subject to special handling and are issued on an exchange basis. Such items will be repaired or overhauled at depot maintenance activities only. No repair may be accomplished at lower levels.
U	Repair parts, special tools, and test equipment specifically selected for salvage by reclamation units because of precious metal content, critical materials, high dollar value, or reusable casings or castings.

b. Federal Stock Number Column. This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. Description Column. This column indicates the Federal item name and any additional description of the item required. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses. Repair parts quantities included in the kits, sets, and assemblies are shown in front of the repair part name. Material required for manufacture or fabrication is identified.

d. Unit of Measure (U/M) Column. A 2 character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ft, ea, pr, etc.

e. Quantity Incorporated in Unit Column.

This column indicates the quantity of the item used in the functional group.

f. 30-day DS/GS Maintenance Allowance Column.

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicates in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of equipments supported. Subsequent appearance of the same item will have the letters "REF" in the applicable allowances column. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS/GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. *Example,* authorized allowance for 51-100 equipments is 40; for 150 equipments multiply 40 by 1.50 or 60 parts required.

g. 1-Year Allowances Per 100 Equipments/Contingency Planning Purposes Column. This column indicates opposite the first appearance of each item the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

h. Depot Maintenance Allowance Per 100 Equipments Column. This column indicates opposite the first appearance of each item, the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use but not for initial stockage are identified with an asterisk in the allowance column.

i. Illustration Column. This column is divided as follows:

(1) Figure number column indicates the figure number of the illustration in which the item is shown.

(2) Item number column indicates the call-out number used to reference the item in the illustration.

4. Special Information

a. Parts which require manufacture or assembly at a category higher than that authorized for installation will indicate in the source column the higher category.

b. Identifications of the usable on codes include in column 3 of this publication are: Items that can be used on either model will not show a code.

Code	Used On
A	AN-M4C (3260101-6)
B	AN-M4B (3260101-4)

c. The following publications pertain to the AN-M4B and AN-M4C Compressors (Stewart-Warner Model Nos. 3260101-4 and 3260101-6).

TM 3-1040-224-12	Operator and Organizational Maintenance Manual (AN-M4B)
TM 3-1040-224-34	Direct Support, General Support, Maintenance Manual (AN-M4B)
TM 3-1040-244-12	Operator and Organizational Maintenance Manual (AN-M4C)
TM 3-1040-244-20P	Organizational Maintenance Repair Parts and Special Tools List (AN-M4C)
TM 3-1040-244-34	Direct Support, General Support, Maintenance Manual (AN-M4C)

5. How to Locate Repair Parts

a. When Federal stock number or reference number is unknown:

(1) *First*. Using the Table of Contents, determine the functional group, i.e., moisture separator group, frame and fuel tank group, etc, within which the repair part belongs. This is necessary since illustrations are prepared for functional group of functional subgroups and listings are divided into the same groups.

(2) *Second*. Find the illustration covering the functional group or functional subgroup to which the repair part belongs.

(3) *Third*. Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth*. Using the Repair Part Listing, find the functional group or functional subgroup

to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference number is known:

(1) *First*. Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number of reference number. This index is in ascending FSN sequence followed by a list of reference numbers in ascending alphanumeric sequence, cross-referenced to the illustration figure number and item number.

(2) *Second*. Using the Repair Part Listing, find the functional group or functional subgroup of the repair part and the illustration figure number and item number referenced in the index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations

Abbreviation	Explanation
al	aluminum
a r	as required
cfm	cubic feet per minute
c-o	consisting of
crs	corrosion resistant steel
dia	diameter
ext	external
h	high
hd	head
hex	hexagon
id	inside diameter
int	internal
lg	long
mm	millimeter
o a	overall
od	outside diameter
pltd	plated
stl	steel
syn	synthetic
thd	thread
thk	thickness
u w	used with
w	wide
w/o	without

7. Federal Supply Codes for Manufacturers

Code	Manufacturer
00038	Long Lok Corp, 1425 Gateway East Bldg Los Angeles, Calif. 90067
07797	United Shoe Machinery Corp 510 River Rd Shelton, Conn. 06485
10001	Bureau of Naval Weapons Washington, D. C.
28098	Hoke, Inc 1 Tenakill Park Cresskill, N. J. 07626
31525	Kidde-Walter and Co, Inc Belleville, N. J.

Code	Manufacturer
57533	Sterling Precision Corp 103 Park Ave New York, N. Y. 10017
72962	Elastic Stop Nut Corp of America 2330 Vauxhall Rd Union, N. J. 07083
78385	South Wind Div of Stewart-Warner Corp 1514 Dover St Indianapolis, Ind. 46207
80064	Bureau of Ships Washington, D. C.
80201	Chicago Rawhide Mfg Co 1301 Elston Ave Chicago, Ill. 60622
81348	Federal Specifications Promulgated By General Services Administration
81349	Military Specifications Promulgated By Standardization Div Directorate of Logistic Services DSA
81361	Edgewood Arsenal Edgewood Arsenal, Md. 21010
83298	Bendix Corp, The Electric Power Div W/S, Route 35 Eatontown, N. J. 07724
86579	Precision Rubber Products Corp 3110 Oakridge Dr Dayton, Ohio 45417
88044	Aeronautical Standards Group Dept of the Navy and Air Force

Code	Manufacturer
88408	Continental Motors Corp 12800 Kercheval Ave Detroit, Mich. 48215
92003	Parker Aircraft Co Los Angeles, Calif.
95138	Perfecting Service Co P. O. Box 1949 Charlotte, N. C. 28201
96906	Military Standards Promulgated By Standardization Div Directorate of Logistic Services DSA
99974	AC Electronics Division of General Motors Corp 7929 South Howell Ave Oak Creek, Wisc. 53154

8. Recommendations for Maintenance Publication Improvements

The reporting of errors, omissions, and recommendations for improving this publication by the individual user is encouraged. Reports should be submitted on DA Form 2028 (Recommended Changes to Publications) and forwarded direct to Commanding Officer, Edgewood Arsenal, ATTN: SMUEA-TSE-TPL, Edgewood Arsenal, Md. 21010.

SECTION II. REPAIR PARTS FOR DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT		(6) 10 DAY GS MAINT ALLOWANCE (a)		(7) 10 DAY GS MAINT ALLOWANCE (b)		(8) 1 YR EQUIP CATEGY	(9) DEPOT MAINT EQUIP CATEGY	(10) ILLUSTRATION ITEM NO.
				(a) 1-20	(b) 21-100	(c) 51-100	(d) 1-20	(e) 21-50	(f) 51-100			
P--C--	1040-083-2606	GROUP 100-CANVAS COVER ASSEMBLY COMPRESSOR D68-13-1551 (81361)	ea	1	3	6	11	*	*	100	10	1
P--O--	5306-879-2800	BOLT, SHOULDER stl, hex hd, 0.350 in. dia, by 0.125 in. lg shoulder, 1/4-28, 0.750 in. lg, o/a lg B81-1-6878 (81361)	ea	2	*	*	*	*	*	1	20	2
P--O--	1040-083-2607	STRAP ASSEMBLY shoulder right D81-1-6869-1 (81361)	ea	1	3	6	11	*	*	100	6	3
P--O--	1040-863-7451	STRAP ASSEMBLY waist D81-1-6876 (81361)	ea	1	3	6	11	*	*	100	8	4
P--O--	5310-849-7733	WASHER, FLAT cres, 0.750 in. dia, 1/4 in. bolt size MS15795-311 (96906)	ea	2	*	*	*	*	*	1	20	5
P--O--	5310-877-5796	NUT, SELF-LOCKING HEXAGON stl, pltd, 1/4 in.-28 MS21044-N4 (96906)	ea	6	*	*	*	*	*	1	40	6
P--C--	1040-083-2614	HARNESS, BACK REST D68-13-1570 (81361)	ea	1	3	6	11	*	*	100	10	7

(1) SMB CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION 233C Reference Number & Mfg. Code If Available Code	(4) UNIT OF MEAS	(5) QTY. INC. UNIT	(6) 30 DAY DS. MAINT. ALLOWANCE (1) (a) (b) (c) 1-20 21-50 51-100			(7) 30 DAY ON MAINT. ALLOWANCE (1) (a) (b) (c) 1-20 21-50 51-100			(8) 1 Y. AV. PER CENTGY EQUIP	(9) DEPT AV. PER 100 EQUIP	(10) ILLUSTRATION ITEM NO.	
P--C--	4020-233-6555	CORD, COTTON Type I or II, Class 2, Size 4, 8 strands, green MIL-C-2533 (81349)	ft	6	*	*	*	*	*	*	1	AR	1	8
P--D--	1040-083-2608	STRAP ASSEMBLY shoulder, left D81-1-6872-1 (81361)	ea	1	3	6	11	*	*	*	100	8	1	9
P--F--	5340-205-6301	GROUP 200-MOISTURE SEPARATOR CLAMP, LOOP aluminum alloy, rubber cushion, 0.500 in. w., 0.250 in. w, 0.250 in. loop id MS21919D-4 (96906)	ea	1	*	*	*	*	*	*	1	5	2	1
P--F--	5305-043-6749	SCREW, MACHINE steel pltd, No. 10-32 x .437 in. lq MS35226-62 (96906)	ea	7	*	*	*	*	*	*	1	50	2	2
P--F--	5310-596-7691	WASHER, LOCK stl pltd, ext teeth No. 10 bolt size MS35335-32 (96906)	ea	2	*	*	*	*	*	*	1	20	2	3
P--F--	5306-754-1787	BOLT, MACHINE stl pltd, hex hd, No. 10-24 x .469 lq MS20074-03-03 (96906)	ea	2	*	*	*	*	*	*	1	20	2	4

(1) SMP CODE	(2) FEDERAL NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 10 DAY DS MAINT ALLOWANCE (1) 1 20 21 40 41 100			(7) 10-DAY GS MAINT ALLOWANCE (2) 1 20 21 40 41 100			(8) 1 V. MAINT EQUIP 100 CNTGTY	(9) DEPT MAINT AGENCY EQUIP	(10) ILLUSTRATION NO.	
					(a)	(b)	(c)	(d)	(e)	(f)			(11) FIGURE ITEM NO.	(12) NO.
M--F--		BRACKET, TUBE SUPPORT manufactured from aluminum alloy sheet .090 thickness, Type 6061-0 00-A-250/11 9535-232-0321		1	*	*	*	*	*	*			2	5
P--F--	5310-596-7957	NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert No. 10-32 MS20364-1032A (96906)	ea	27	*	*	*	*	*	*	1	70	2	6
P--F--	4720-788-0901	TUBE ASSEMBLY connecting 3260551 (78385)	ea	1	*	*	*	*	*	*	1	5	2	7
P--F--	4730-788-0902	ELBOW PAB21-0604 (92003)	ea	1	*	*	*	*	*	*	1	5	2	8
P--F--	4730-277-6372	LOCKNUT TUBE FITTING stl pltd, w/w 1/4 od tube AN6289-4 (88044)	ea	1	*	*	*	*	*	*	1	5	2	9
P--F--	5330-186-4947	WASHER, NONMETALLIC leather, 0.577 in. od, 0.343 in. id, 0.094 in. thk MS28777-4 (96906)	ea	1	1	1	2	*	*	*	15	5	2	10
P--F--	5330-263-8028	PACKING, PREFORMED syn rubber, 0.351 in. id, 0.395 in. od, 0.072 in. h MS29512-04 (96906)	ea	3	1	1	2	*	*	*	15	12	2	11

(11) SMB CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(14) UNIT OF MEAS.	(15) QTY. INC. IN UNIT	(16) 30 DAY DS. MAINT. ALLOWANCE			(17) 30 DAY MAINT. ALLOWANCE			(18) 100 EQUIP. CATEGORY	(19) 100 EQUIP.	(10) ILLUSTRATION FIGURE ITEM NO.
					(a)	(b)	(c)	(a)	(b)	(c)			
P--F--	4730-977-7663	ADAPTER A2121 (95138)	ea	1	*	*	*	*	*	*	1	5	2 12
P--F--	4820-907-3448	VALVE ASSEMBLY pressure relief 116-B100-14 (78385)	ea	1	1	1	2	*	*	*	15	3	2 13
P--F--	1040-906-7899	SEPARATOR ASSEMBLY 3811000 (78385)	ea	1	*	*	*	*	*	*	1	5	2 14
P--F--	4730-908-6292	CLAMP, HOSE cres, 2-9/16 to 3-1/2 in. id MS35842-14 (96906)	ea	1	*	*	*	*	*	*	1	5	2 15
P--F--	1040-084-0438	FITTING SPRAY DIRECTING B68-13-1567 (R1361)	ea	1	*	*	*	*	*	*	1	5	2 16
P--F--	4820-068-5052	VALVE, GLOBE 3000 psi male thread connections 1/8-27 thd 305 (28968)	ea	1	*	*	*	*	*	*	1	4	2 17
P--F--	5310-282-7834	NUT, PLAIN HEXAGON aluminum alloy, 7/8 in.-14 AN924-100 (88044)	ea	1	*	*	*	*	*	*	1	10	2 18
P--F--	5310-616-3056	WASHER, LOCK stl pltd, flat ext teeth, 7/8 in. bolt size MS3535-41 (96906)	ea	1	*	*	*	*	*	*	1	10	2 19

(1) SMP CODE	(2) FEDERAL NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY MAINT ALLOWANCE		(7) 30 DAY MAINT ALLOWANCE		(8) ALP PER 100 EQUIP CNGCY	(9) DEFCT ALP PER 100 ALP PER EQUIP	(10) ILLUSTRATION	
					(a) 1.20	(b) 21.50	(c) \$1,100	(d) 21.50	(e) \$1,100		(a) FIGURE NO.	(b) ITEM NO.
P--F--	4730-231-3026	ELBOW, TUBE stl pltd, u/w 1/4 in. od tube, bulkhead style thd male, 7/16-20, 1-37/64 and 61/64 in. leg lg 90 degree AN833-4 (88044)	ea	1	*	*	*	*	*	1	5	2 20
		SEPARATOR ASSEMBLY SECTION										
P--H--	1040-921-5299	CAP, TANK 3811022 (78385)	ea	1	*	*	*	*	*	1	10	3 1
P--H--	5330-171-5099	RETAINER, PACKING teflon, 2.250 in. id x 2.490 in. od, 0.027 in. thk, 0.081 in. o/a h MS28783-6 (96906)	ea	1	*	*	*	*	*	1	5	3 2
P--H--	5330-788-0906	PACKING, PREFORMED 48A113 (78385)	ea	1	*	*	*	*	*	1	10	3 3

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	(4) UNIT MEAS	(5) QTY PER UNIT	(6) 30-DAY DS MAINT ALLOWANCE			(7) 30-DAY GS MAINT ALLOWANCE			(8) 1 Y. ALW PER 100 HOURS CENTURY	(9) DEPOT MAINT ALW PER 100 HOURS CENTURY	(10) ILLUSTRATION (a) FIG NO. (b) FIG NO.
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			
P--H--	5310-275-3683	WASHER, LOCK stl pltd, flat ext teeth, 3/4 in. bolt size MS35335-40 (96906)	ea	1	*	*	*	*	*	*	1	10	3 4
P--H--	1040-083-2617	BAFFLE ASSEMBLY 873561 (33525)	ea	1	*	*	*	*	*	*	1	5	3 5
P--H--	1040-921-5300	SHELL MOISTURE SEPARATOR 3811021 (78385)	ea	1	*	*	*	*	*	*	1	3	3 6
P--H--	7690-728-5129	DECAL legend, drain after every hour of operation and before storage 3260391 (78385)	ea	1	*	*	*	*	*	*	1	5	3 7
P--F--	5305-889-3002	GROUP 300-FAN, FAN GUARD, AFTERCOOLER CONNECTING TUBE, AND BASIC COMPRESSOR ASSEMBLY	ea	3	*	*	*	*	*	*	1	30	4 1
P--F--	5310-559-0070	SCREW, MACHINE stl pltd, pan hd, No. 8-32 x 0.312 in. lg MS35206-242 (96906)	ea	3	*	*	*	*	*	*	1	30	4 2
P--F--	4310-728-5126	WASHER, LOCK stl pltd, No. 8 size int teeth MS35333-38 (96906)	ea	1	*	*	*	*	*	*	1	5	4 3

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 30 DAY MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 Y. MAINT EQUIP CNTGCTY	(9) 100% MAINT EQUIP		(10) ILLUSTRATION ITEM NO.	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100		(a) 1-20	(b) 21-50	(a) 1-20	(b) 21-50
P--F--	1040-788-5373	GUARD 3260548 (57733)	ea	1	*	*	*	*	*	*	1	4	4	4	4
P--F--	4310-983-3072	AFTEROOLER 3750345 (78385)	ea	1	*	*	*	*	*	*	1	5	4	5	5
P--F--	5340-769-5311	STRAP, RETAINING aluminum, 0.438 in. id, 0.375 in. w, 1.250 in. lg o/a 3260185 (78385)	ea	6	*	*	*	*	*	*	1	30	4	6	6
P--F--	5310-559-0070	WASHER, LOCK stl pltd, No. 8 size int teeth MS35333-38 (96906)	ea	12	REF	REF	REF	REF	REF	REF	REF	REF	4	7	7
P--F--	5305-614-3423	SCREW, MACHINE stl pltd, fil hd, No. 8-32 x 3/8 in. lg MS35265-43 (96906)	ea	12	*	*	*	*	*	*	1	120	4	8	8
P--H--	5306-964-9603	BOLT, EXTERNALLY RELIEVED body 3260124 (78385)	ea	1	*	*	*	*	*	*	1	5	4	9	9
P--F--	5310-788-0900	NUT 52TE126 (72926)	ea	1	*	*	*	*	*	*	1	10	4	10	10
P--F--	1040-727-3731	IMPELLER, FAN, AXIAL 3590175 (78385)	ea	1	*	*	*	*	*	*	1	4	4	11	11
P--F--	1040-784-7455	TUBE ASSEMBLY, METAL 3260243 (78385)	ea	1	*	*	*	*	*	*	1	5	4	12	12

(11) AMP CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(14) UNIT MEAS	(15) QTY UNIT	(16) 30 DAY DS MAINT ALLOWANCE			(17) 30 DAY GS MAINT ALLOWANCE			(18) 1 Y. AL. PER EQUIP ENTGY	(19) DE ROT MAINT AL. PER EQUIP	(20) ILLUSTRATION NO.
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) PER EQUIP NO.
P--H--	3120-993-0093	WASHER, THRUST stl, 0.718 in. od, 0.125 in. o/a thk, 0.325 in. id 3260125 (78385)	ea	1	*	*	*	*	*	*	1	10	4
P--H--	4310-986-7766	BUSHING, DRIVE 3260132 (78385)	ea	1	*	*	*	*	*	*	1	10	4
P--H--	1040-906-7901	COMPRESSOR ASSEMBLY 3260100-4 (78385)	ea	1	*	*	*	*	*	*	1	5	4
P--F--	1040-906-7909	TUBE ASSEMBLY 4428-0167 (78385)	ea	1	*	*	*	*	*	*	1	5	4
P--F--	5306-999-0488	BOLT, SELF-LOCKING stl pltd, hex hd, No. 10-24 x 0.469 in. lg LP20074-03-03 (03038)	ea	1	*	*	*	*	*	*	1	10	4
P--F--	5340-285-7010	CLAMP, LOOP alumin. 1/2 in. w/c fastenings, 0.032 in. thk material, 0.375 in. loop id 74206 (88044)	ea	1	*	*	*	*	*	*	1	5	4
P--F--	5310-576-5752	WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906)	ea	6	*	*	*	*	*	*	1	60	4

(1) SMP CODE	(2) FEDERAL SUPPLY NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(4) UNIT OF MEAS.	(5) QTY IN UNIT	(6) 30 DAY DIS. MAINT. ALLOWANCE			(7) 30 DAY GS. MAINT. ALLOWANCE			(8) 1 Y - ALM PER 100 EQUIP. NTGTY	(9) DEPOT MAINT ALM PER 100 EQUIP. NTGTY	(10) ILLUSTRATION NO.	(11) ILLUSTRATION NO.
					(a)	(b)	(c)	(a)	(b)	(c)				
P--F--	5305-842-5646	SCREW, MACHINE stl pltd, flat fillister hd drilled, No. 10-24, 0.500 in. lg MS3526 -69 (96906)	ea	6	*	*	*	*	*	*	1	60	4	20
P--C--	4310-792-1491	COMPRESSOR SECTION AIR INTAKE FILTER COVER, FLUID FILTER 3260424 (78385)	ea	1	*	*	*	*	*	*	1	5	5	1
P--C--	1040-764-5949	FILTER ELEMENT INTAKE AIR CLEANER 2.500 in. od, 2.140 in. id inner 4455-0020 (78385)	ea	1	4	9	16	*	*	*	150	12	5	2
P--C--	5310-270-8810	NUT, PLAIN HEXAGON cres, No. 10-32 MS35650-104 (96906)	ea	1	*	*	*	*	*	*	1	30	5	3
P--C--	5310-576-5752	WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906)	ea	1	REF	REF	REF	REF	REF	REF	REF	REF	5	4
P--C--	4330-773-1216	COVER, FLUID FILTER 3260167 (78385)	ea	1	*	*	*	*	*	*	1	10	5	5
P--C--	1040-764-5948	FILTER ELEMENT, INTAKE AIR CLEANER 4.060 in. od, 3.500 in. id outer 4455-0021 (78385)	ea	1	3	6	11	*	*	*	100	12	5	6

(1) SUP CODE	(2) FEDERAL NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable in Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 10 DAY MAINT ALLOWANCE			(7) 30 DAY MAINT ALLOWANCE			(8) 100 EQUIP CARTOY	(9) 100 EQUIP CARTOY	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) PAGE	(b) ITEM NO.
		THIRD STAGE												
P--H--	4310-981-7579	RETAINER 13082746 (78385)	ea	1	*	*	*	*	*	*	1	10	6	1
P--H--	1270-733-1322	RING, DISK 2740251 (78385)	ea	1	REF	REF	REF	REF	REF	REF	REF	REF	6	2
P--H--	1270-830-2836	DISK, RUPTURE 274103 (78385)	ea	1	REF	REF	REF	REF	REF	REF	REF	REF	6	3
P--H--	4310-979-9279	CAP, CYLINDER, THIRD STAGE 3800178 (78385)	ea	1	*	*	*	*	*	*	1	10	6	4
P--H--	5340-989-6774	SPRING, HELICAL COMPRESSION 3-1/2 active coils, .930 free length, 0.47 dia material size 3260148 (78385)	ea	1	*	*	*	*	*	*	1	10	6	5
P--H--	4310-979-9284	VALVE, COMPRESSOR 3800195 (78385)	ea	1	*	*	*	*	*	*	1	10	6	6
P--F--	4730-197-2916	ELBOW, TUBE aluminum alloy, u/w 3/8 od, tube bulkhead style, thd male 9/16-18, 1-51/64 and 1-5/64 in. 1q, 90 degree AN833-6D (88044) A	ea	1	*	*	*	*	*	*	1	10	6	7
P--F--	4310-983-3076	STRAINER AND RELIEF VALVE ASSEMBLY third stage 3260179 (78385) B	ea	1	*	*	*	*	*	*	1	10	6	7

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION <i>Reference Number & Mfr. Code</i> <i>Usable in Equip.</i>	(4) UNIT MEAS	(5) QTY UNIT	(6) 10 DAY DS MAINT ALLOWANCE (14) 1 40 21 50 ST 100	(7) 10 DAY GS MAINT ALLOWANCE (15) 1 40 21 50 ST 100	(8) I.V. ALERT MAINT EQUIP CATEGORY	(9) DEPT MAINT ALERT EQUIP	(10) ILLUSTRATION NO.
		1 EA GASKET 3260163							6 17
		1 EA LINK, CONNECTING 3260129							6 18
		50 EA BEARING NEEDLE 08279							6 19
P--H--	4730-088-8520	REDUCER, TUBE stl pltd, u/w 1/4 and 3/8 od tube, 7/16-20 and 9/16-18 thd size 3750231 (78385)	ea	1	*	*	*	1 5	6 20
P--H--	4310-986-7764	BOSS SEAL METALLIC 130B1136 (78385)	ea	1	*	*	50	10	6 21
P--H--	4310-979-9295	CYLINDER AND PISTON ASSEMBLY third stage 3260170 (78385)	ea	1	*	*	50	6	6 22
		SECOND STAGE							7
		2 EA GASKET 3260162							7 1
		2 EA GASKET 3260163							7 2
		1 EA LINK, CONNECTING 3260128							7 3

(1) SMB CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable on Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) 10 DAY DS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(7) 10 DAY CS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(8) 1 Y. MAINT ALW PER 100 EQUIP CONTACT	(9) DSMT MAINT ALW PER 100 EQUIP	(10) ILLUSTRATION (a) FEEDING ITEM NO. (b) ITEM NO.
		4 EA WASHER 3260133							7 4
		1 EA PIN, COTTER AN381-15-16							7 5
		2 EA PIN, WRIST 3260130							7 6
		1 EA PIN, COTTER AN381-2-10							7 7
P-F--	4310-983-3075	STRAINER AND RELIEF VALVE ASSEMBLY 3260169 (78385)	ea	1	"	"	"	10	7 8
P-F--	4730-277-5083	LOCKNUT, TUBE FITTING aluminum, 3/8 od tube size, 9/16- 18 thd AN628906 (88044)	ea	2	REF	REF	REF	REF	7 9
P-F--	5330-186-1295	WASHER, NONMETALLIC leather, 1/4 od, 0.136 ld, 0.062 in. thk AN6246-1 (88044)	ea	2	REF	REF	REF	REF	7 10
P-H--	5310-550-9449	2 EA GASKET, TUBE FITTING 130A457 NUT, SELF-LOCKING HEXAGON stl pld, 1/4-20 M555310-6 (08208)	ea	4					7 11
									7 12

(11) SMB CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION	(14) UNIT OF MEAS	(15) QTY	(16) 10 DAY DS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(17) 10 DAY CS MAINT ALLOWANCE (a) 1-20 (b) 21-50 (c) 51-100	(18) 1 Y. MAINT ALW PER 100 EQUIP	(19) DSMT MAINT ALW PER 100 EQUIP	(20) ILLUSTRATION (a) FEEDING ITEM NO. (b) ITEM NO.
---------------------	------------------------------------	---------------------	----------------------------	-------------	---	---	--	--	--

(1) SMR CODE	(2) FEDERAL ITEM NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code	(4) UNIT OF MEAS	(5) QTY INC IN UNIT	(6) NO. DAY MAINT ALLOWANCE			(7) NO. DAY MAINT ALLOWANCE			(8) 100 EQUIP CATEGORY	(9) 100 MAINT ALM PER EQUIP	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(4)	(5)
		50 EA BEARING, NEEDLE 08279			1 20	21 50	51 100	1 20	21 50	51 100			7	20
		FIRST STAGE												
P--H--	4730-197-2916	ELBOW, TUBE aluminum alloy, u/w 3/8 od tube, bulkhead style thd male, 9/16-18, 1-51/64 and 1-5/64 in. leg lg, 90 degree AN833-6D (88044)	ea	1				REF	REF	REF	REF	REF	8	1
P--H--	4730-277-5083	LOCKNUT, TUBE FITTING aluminum, 3/8 od tube size, 9/16- 18 thd AN6289D6 (88044)	ea	1				REF	REF	REF	REF	REF	8	2
P--H--	5330-186-1295	WASHER, NONMETALLIC leather, 1/4 od, 0.136 id, 0.94 in. thk MS28777-6 (96906)	ea	1				REF	REF	REF	REF	REF	8	3
		1 EA GASKET tube fitting 130A457											8	4
P--H--	5310-596-7957	NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, No. 10-32 MS20364-1032A (96906)	ea	1				REF	REF	REF	REF	REF	8	5

(1) SMR CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Usable in Code	(4) UNIT OF MEAS	(5) QTY IN UNIT	(6) 30 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) 1 Y - AUM PER EQUIP CATEGORY	(9) DEPOT MAINT AUM PER EQUIP	(10) ILLUSTRATION (a) (b) FIGURE NO.	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100				
P--H--	5305-984-6215	SCREW, MACHINE stl pltd, No. 10-24 x 1.250 in. lg MS35206-268 (96906)	ea	4				*	*	*	1	40	8	6
P--H--	5310-576-5752	WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906)	ea	4				REF	REF	REF	REF	REF	8	7
P--H--	5310-183-4406	WASHER, FLAT rd, aluminum alloy, No. 10 screw size, 0.438 in. dia AN960PD10 (88044)	ea	1				*	*	*	1	10	8	8
P--H--	4310-790-0954	CYLINDER HEAD COMPRESSOR 3260135 (78385)	ea	1				2	4	8	75	10	8	9
P--H--	5330-999-0677	PACKING, PREFORMED syn rubber, 1.424 in. id, 1.630 in. od, 0.103 in. h MS29561-127 (96906)	ea	1				2	4	8	75	12	8	10
P--H--	4310-979-9294	STOP, VALVE 3260147 (78385)	ea	1				2	4	8	75	10	8	11
P--H--	5340-989-6776	SPRING HELICAL COMPRESSION 4-1/2 active coils, .380 free length, .035 dia material 3800196 (78385)	ea	1				2	4	8	75	10	8	12
P--H--	4310-979-9289	VALVE, EXHAUST first stage 3260149 (78385)	ea	1				2	4	8	75	10	8	13

[illegible]

(1) AMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr Code Supply in Code	(4) UNIT OF MEAS	(5) QTY INC UNIT	(6) 10 DAY DS MAINT ALLOWANCE			(7) 30 DAY GS MAINT ALLOWANCE			(8) I.V. PER EQUIP CENTGY	(9) DEPOT MAINT ALPH EQUIP CENTGY	(10) ILLUSTRATION TO FORM NO.
					(a) 1.00	(b) 11.50	(c) N1.100	(d) 1.20	(e) 21.50	(f) N1.100			
P--H--	4310-788-0907	GASKET 3260143 (78385)	ea	1				*	*	*	1	8	23
P--H--	4310-790-0985	CYLINDER AND PISTON ASSEMBLY 3260139 (78385)	ea	1				2	4	8	75	6	24
P--H--	5315-727-1636	PIN, SHOULDER, HEADED cres, button hd, 2 stops, 3/8 in. o/a lq 3260153 (78385)	ea	1				*	*	*	1	10	25
P--H--	5310-550-9449	ENDBELL, CONNECTING ROD AND SHAFT NUT, SELF-LOCKING HEXAGON STL, 1/4-20 MSS5310-6 (08288)	ea	6				REF	REF	REF	REF	9	1
P--H--	1040-076-8849	PLATE, IDENTIFICATION 3260299 (78385)	ea	1				*	*	*	1	10	2
P--H--	5305-253-5609	SCREW, DRIVE stl pltd, rd hd, No. 2 size, 1/8 in. lq MS21318-13 (96906)	ea	4				*	*	*	1	40	3
P--H--	1040-759-9767	ENDBELL 3260281 (78385) 1 EA GASKET endbell 3260188	ea	1				*	*	*	1	2	4
												9	5

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION <i>Reference Number & Misc. Code</i> UNCLASSIFIED	(4) UNIT OF MEAS	(5) QTY IN UNIT	(6) 30 DAY DS MAINT SCHEDULE (a) (b) (c) 1 20 21 30 31 100			(7) 30 DAY GS MAINT SCHEDULE (a) (b) (c) 1 20 21 30 31 100			(8) QTY EQUIP 100 CONTCY	(9) DEPT MAINT EQUIP 100 MA PDK	(10) ILLUSTRATION (a) (b) FIGURE ITEM NO. NO.	
P--H--	5330-993-0084	SEAL, PLAIN ENCASED 1.499 in. bore dia, .938 shaft dia 1483006 (80201)	ea	1				2	3	6	50	100	9	6
P--H--	3110-902-3398	BEARING, BALL, ANNULAR single row, radial, 25 mm bore, 47 mm od, 12 mm thickness 614-0014 (78385) A	ea	1				*	*	*	1	20	9	7
P--H--	3110-100-2394	BEARING BALL, ANNULAR 03LO5X3A (43334) B	ea	1				*	*	*	1	20	9	7
P--H--	1040-906-7902	SHAFT 412-0093 (78385) A	ea	1				*	*	*	1	5	9	8
P--H--	4310-992-5746	CRANKSHAFT 3260123 (78385) B	ea	1				*	*	*	1	5	9	8
P--H--	1040-759-3895	PLATE, RETAINER master rod 3260127-(78385)	ea	1				*	*	*	1	5	9	9
P--H--	5315-788-5372	PIN, STRAIGHT, HEADLESS stl, 0.340 in. lg, 0.250 in. dia 3260168 (57733)	ea	1				*	*	*	1	5	9	10
P--H--	3110-902-3397	BEARING, BALL, ANNULAR single row, radial, 30 mm bore, 55 mm od, 15 mm wide 614-0015 (78385) A	ea	1				*	*	*	1	20	9	11

(1) SMP CODE	(2) FEDERAL STOCK NUMBER	(3) DESCRIPTION Reference Number & Mfr. Code Qualification Code	(4) UNIT IN MFR'S UNIT	(5) QTY IN UNIT	(6) 10 DAY DS. MAINT. ALLOWANCE			(7) 10 DAY US. MAINT. ALLOWANCE			(8) 100 PER EQUIP. ENTRY	(9) 100 PER MAINT. EQUIP.	(10) ILLUSTRATION	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) FIGURE NO.	(b) ITEM NO.
P--H--	5110-227-3181	BEARING, BALL, ANGULAR 03L06X3A (43334)	ea	1				*	*	*	1	20	9	11
P--H--	5305-883-3002	SHEAR BOLT MS55206-242 (96906)	ea	18				*	*	*	1	36	9	12
P--H--	5306-559-0474	BOLT, MACHINE hex hd, stl, 5/16-24 x 3/4 in. lg MS35292-32 (96906)	ea	4				*	*	*	1	40	9	13
P--H--	5310-012-0379	WASHER, LOCK stl pltd, split helical ring, 5/16 in. bolt size MS35337-26 (96906)	ea	4				*	*	*	1	40	9	14
M--H--		SPACER, COMPRESSOR DRIVE PAD manufactured from aluminum alloy sheet, .090 thickness Type 6061-0 QQ-A-250/11 FSN 9535-232-0321											9	15
P--H--	2905-759-3894	CRANKCASE 3260220 (78385)	ea	1				*	*	*	1	2	9	16
P--H--	5330-993-0083	SEAL, PLAIN ENCASED 1.062 in. shaft dia bore, dia 1.499 1481206 (80201)	ea	1				2	3	6	50	100	9	17

(11) SMR CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION <i>Reference Numbers & Mfr. Code</i>	(14) UNIT OF MEAS	(15) QTY UNIT	(16) 30 DAY MAINT ALLOWANCE			(17) 120 DAY MAINT ALLOWANCE			(18) 100 EQUIP CENT	(19) 100 EQUIP CENT	(20) ILLUSTRATION (a) PER ITEM NO.	(21) ILLUSTRATION (b) PER ITEM NO.
					(a)	(b)	(c)	(a)	(b)	(c)				
P--H--	4310-906-1008	ROD ASSEMBLY MASTER 4417-0013 (78385)	ea	1				*	*	*		1	5	18
		A												
P--H--	4310-980-0664	CONNECTING ROD ASSEMBLY 3260240 (78385)	ea	1				*	*	*		1	5	18
		B												
		OIL RESERVOIR AND BREATHER												
P--H--	1040-921-5301	BREATHER ASSEMBLY 4455-0017 (78385)	ea	1				*	*	*		1	10	1
P--H--	5310-596-7957	NUT, SELF-LOCKING HEXAGON stl cad pltd, nylon insert, No. 10-12 MS2036410324 (96906)	ea	13				REF	REF	REF		REF	REF	2
		B												
P--F--	4730-287-0092	PLUG, MACHINE THREAD aluminum alloy, 5/8 in. o/a lg, 1/2-20 fnd AN814-50 (88044)	ea	1				*	*	*		1	12	3
P--F--	5330-582-7289	PACKING, PREFORMED syn rubber, 0.412 in. id, 0.552 in. od, 0.070 in. h 130A0456 (78385)	ea	1	2	3	6	*	*	*		50	100	4
P--H--	5305-984-6211	SCREW, MACHINE pan hd, stl pltd, No. 10-24 x .625 in. lg MS35206-264 (96906)	ea	14				*	*	*		1	140	5
		A												
P--H--	1040-921-5296	RESERVOIR, OIL 457-0023 (78385)	ea	1				*	*	*		1	5	6

(1) SNIP CODE	(2) FEDERAL SUPPLY NUMBER	(3) DESCRIPTION DISESCRIPTION Description Number & Unit Code	(4) UNIT OR MEAS	(5) QTY INC UNIT	(6) 30 DAY MAINT REPAIRS (a) 1 20 45 50 55 100	(7) 30 DAY GS MAINT (a) 1 20 45 50 55 100	(8) Y EQUIP CENTGE V	(9) DEPOT MAINT EQUIP	(10) ILLUSTRATION FIGURE ITEM NO.
P--F--	1040-921-5295	PLUG, SIGHT OIL LEVEL 62B-0041 (78385)	ea	1	■	■	■	1	10
		1 EA GASKET, OIL RESERVOIR 3260267 (78385)							10
		1 EA PACKING, PREFORMED MS29561-013 (96906)							10
		1 EA CYLINDER 3260566 (78385)							10
P--H--	5305-614-0246	SCREW, MACHINE STL pld, filler hd, drilled No. 10-32, 1/2 in. lg MS35266-63 (96906)	ea	2	■	■	■	1	20
		1 EA SOCKET, MASTER ROD 3260556 (78385)							10
		2 EA SHIM 3260265 (78385)							10
		1 EA PISTON ASSEMBLY 3260569 (78385)							10
		1 EA BALL MS13435 (96906)							10
		1 EA RETAINER, BALL 448-0480 (78385)							10

(1) SHIP CODE	(2) GENERAL ITEM NUMBER	(3) DESCRIPTION Part Name, Number & Material	(4) UNIT MEAS	(5) QTY IN UNIT	(6) 10 DAY DS MAINT SCHEDULE (a) (b) (c)			(7) 10 DAY DS MAINT SCHEDULE (a) (b) (c)			(8) 100 EQUIP CENTURY	(9) 100 MAINT ALW PER EQUIP	(10) ILLUSTRATION FORM NO.	(11) ITEM NO.
		1 EA RETAINER, PISTON 3260266 (78385)											10	17
		GROUP 400-ENGINE ENGINE AND MOUNTING BRACKET SECTION												
A----		ENGINE AND MOUNTING BRACKET ASSEMBLY											11	
P--H--	5305-930-9190	SCREW, MACHINE MS35275-265 (96906)	ea	2				*	*	*	1	20	11	1
P--H--	2990-972-2318	PIPE, EXHAUST C68-13-1572 (81361)	ea	1				*	*	*	1	10	11	2
P--H--	5310-543-5933	WASHER, LOCK cres, flat int teeth, No. 10 bolt size MS35333-73 (96906)	ea	2				*	*	*	1	20	11	3
P--H--	5310-270-8810	NUT, PLAIN, HEXAGON cres, No. 10-32 MS35650-104 (96906)	ea	2				REF	REF	REF	REF	REF	11	4
P--H-S	2805-068-7510	ENGINE, GAS 1-A0-8-111 (88408)	ea	1				*	*	*	1	20	11	5
P--H--	3020-971-1366	PULLEY B68-13-1532 (81361)	ea	1				*	*	*	1	4	11	6

(11) SMP CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION Reference Number & Mfr. Code	(14) UNIT MEAS	(15) QTY UNIT	(16) 30-DAY GS MAINT ALLOWANCE			(17) 30-DAY GS MAINT ALLOWANCE			(18) 1 Y. ALW PER EQUIP CNGCY	(19) DI NOT MAINT ALW PER EQUIP	(20) ILLUSTRATION FIGURE ITEM NO.
					(16a) 1.20	(16b) 41.50	(16c) 81.100	(17a) 1.20	(17b) 41.50	(17c) 81.100			
P--H--	5305-068-0500	SCREW, CAP HEXAGON HEAD stl pltd, 1/4-20, 0.500 in. lg MS90725-3 (96906)	ea	8				*	*	*	1	80	11 7
P--H--	5310-209-0786	WASHER, LOCK stl pltd, 1/4 in. id, external teeth MS35335-13 (96906)	ea	8				*	*	*	1	80	11 8
P--H--	1040-971-4921	BRACKET, ANGLE, RIGHT HAND B68-13-1541 (81361)	ea	2				*	*	*	1	80	11 9
P--H--	5306-064-8407	BOLT, SELF-LOCKING 1/4-20 x 3/4 lg A68-13-1528 (81361)	ea	12				*	*	*	1	120	11 10
P--H--	1040-971-4920	BRACKET, ANGLE, LEFT HAND B68-13-1540 (81361)	ea	2				*	*	*	1	10	11 11
P--F--	5305-043-6749	ENGINE ACCESSORIES SECTION SCREW, MACHINE stl pltd, No. 10-32 x .437 in. lg MS35226-62 (96906)	ea	1	REF	REF	REF	REF	REF	REF	REF	REF	12 1
P--F--	5340-079-7837	CLAMP, LOOP stl pltd, syn rubber cushion, 0.500 in. wide, 0.250 in. loop id MS21333-67 (96906)	ea	1	*	*	*	*	*	*	1	5	12 2
P--F--	5310-576-5752	WASHER, LOCK stl pltd, flat int teeth, No. 10 bolt size MS35333-39 (96906)	ea	1	REF	REF	REF	REF	REF	REF	REF	REF	12 3

(11) SNP CODE	(12) FEDERAL STOCK NUMBER	(13) DESCRIPTION <i>Reference Number & Mfr. Code</i>	(14) UNIT QTY INC IN CO MEAS	(15) 30 DAY DS MAINT CATEGORIES (a) (b) (c)			(17) 30 DAY GS MAINT CATEGORIES (a) (b) (c)			(18) YR ALY PER EQUIP CATEG NO.	(19) DEPOT MAINT ALY PER EQUIP CATEG NO.	(110) ILLUSTRATION ITEM NO.	
				(a)	(b)	(c)	(a)	(b)	(c)				
P--F--	5310-934-9751	NUT, FLA IN, HEXAGON stl pltd, No. 10-32 MS35650-302 (96906)	ea	1	*	*	*	*	*	1	10	12	4
P--F--	5330-263-8030	PACKING, PREFORMED syn rubber, 0.468 in. id, 0.624 in. od, 0.078 in. thickness MS29512-6 (96906)	ea	1	1	2	3	*	*	20	12	12	5
P--F--	1040-084-0436	CONNECTOR AND FILTER FUEL B68-13-1566 (81361)	ea	1	1	2	3	*	*	20	5	12	6
P--F--	4720-062-4332	TUBE ASSEMBLY, METAL copper 1/4 od, female connectors 803831 (33525)	ea	1	*	*	*	*	*	1	5	12	7
P--F--	4820-254-8640	COCK, SHUTOFF screw stem 628-0015 (78385)	ea	1	*	*	*	*	*	1		12	8
P--F--	1040-921-5297	ELBOW 500592 (10001)	ea	1	*	*	*	*	*	1	20	12	9
P--F--	4730-639-9730	ELBOW, PIPE brass, female and male ends, 1/8-27, 90 degree 11681-8IN (30327)	ea	1	*	*	*	*	*	1		12	9

(41) SMP CODE	(42) FEDERAL STOCK NUMBER	(43) DESCRIPTION Reference Number & Mfr. Code	(44) UNIT OF MEAS	(45) QTY IN UNIT	(46) 10-DAY DS MAINT ALLOWANCE			(47) 30-DAY GS MAINT ALLOWANCE			(48) 1 Yr ALW PER EQUIP CNTGTY	(49) DE NOT MAINT ALW PER EQUIP CNTGTY	(50) ILLUSTRATION ITEM FIGURE NO.
					(46a) 1-20	(46b) 21-50	(46c) 51-100	(47a) 1-20	(47b) 21-50	(47c) 51-100			
P--F--	5340-282-8335	CLAMP, LOOP stl, rubber cushion, 0.375 in. wide, 0.500 in. loop id MS21919FA (96906)	ea	4	*	*	*	*	*	*	1	20	13 6
P--F--	5310-596-7957	NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, No. 10-32 MS20364-1032A (96906)	ea	5	REF	REF	REF	REF	REF	REF	REF	REF	13 7
P--F--	5340-597-9408	CLAMP, LOOP stl, rubber cushion, 0.375 in. w, 0.625 in. loop id MS21919F10 (96906)	ea	1	*	*	*	*	*	*	1	5	13 8
P--F--	2910-912-9485	TANK, FUEL, ENGINE 4457-0016 (78385)	ea	1	*	*	*	*	*	*	1	3	13 9
P--F--	1040-994-7985	FUEL TANK ASSEMBLY 4457-0010 (78385)	ea	1	*	*	*	*	*	*	1	3	13 9
P--F--	5310-877-5796	NUT, SELF-LOCKING HEXAGON stl pltd, nonmetallic insert, 1/4- 28 MS21044-N4 (96906)	ea	4	REF	REF	REF	REF	REF	REF	REF	REF	13 10
P--F--	5330-263-8031	PACKING, PREFORMED syn rubber, 0.644 in. id, 0.718 in. od, 0.087 in. high thickness MS29512-08 (96906)	ea	1	1	2	3	*	*	*	25	5	13 11

(11) SMP CODE	(12) FEDERAL STORE NUMBER	(13) DESCRIPTION Reference Number & Mfr. Code	(14) UNIT QTY INC IN MEAS	(15) 10 DAY MAINT ALLOWANCE (a) 1 20 (b) 21 30 (c) 31 100			(17) 45 DAY MAINT ALLOWANCE (a) 1 20 (b) 21 30 (c) 31 100			(18) EQUIP CATEGORY	(19) DEFECT ALLOW PER 100 EQUIP	(20) ILLUSTRATION (a) FIGURE NO. (b) ITEM NO.	
P--F--	4730-289-3070	PLUG, MACHINE THREAD aluminum, 0.730 in. o/a lg, 3/4-16 MS9015-08 (96906)	ea 1				*	*	*	1	5	13	12
P--H--	1040-921-5298	FRAME, ENGINE MOUNTING 4407-0058 (78385)	ea 1				*	*	*	1	2	13	13
P--H--	5320-999-0397	RIVET, BLIND aluminum alloy, oval hd 3/32 in. dia shank, 3/32 in. lg 64B-0042-1 (78385)	ea 4				*	*	*	1	40	13	14
P--H--	4310-999-0597	PLATE IDENTIFICATION 434-0230 (78385)	ea 1				*	*	*	1	5	13	15
P--H--	1040-081-8079	PLATE IDENTIFICATION 434-0167 (78385)	ea 1				*	*	*	1	5	13	15
P--H--	5310-061-7325	NUT, SELF-LOCKING HEXAGON cres, 1/4-28 MS21045-4 (96906)	ea 4				REF	REF	REF	REF	REF	13	16
P--H--	5305-993-2459	SCREW, MACHINE stl pltd, pan hd, 1/4 in.-28, 1 in. lg MS35207-283 (96906)	ea 4				*	*	*	1	40	13	17
P--H--	5310-194-0637	WASHER, FLAT stl pltd, 0.276 in. id MS9320-10 (96906)	ea 4				*	*	*	1	40	13	18
P--H--	5340-977-7247	MOUNT, RUBBER A68-13-1523	ea 4				2	3	6	50	12	13	19

11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000
P-----	4310-979-9300	KIT, REPAIR CONNECTING LINK, SECOND STAGE 4459-0048 (78385) c/o	1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																</																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										




Figure 1. Cover assembly.



Figure 2. Moisture separator.



Figure 3. Separator section.






Figure 1. Fan, aftercooler, and basic compressor.



MU-E-239-35P-5

Figure 5. Air intake filter.



MU-E-239-35P-6

Figure 6. Third stage.






Figure 2. Second stage.



MU-E-239-35P-8

Figure 6. First stage.



MU-E-239-35P-9

Figure 9. Endbell connecting rod and shaft.






Figure 16. Oil reservoir and breather.



MU E-239-35P 11

Figure 11. Engine and mounting bracket.



MU-E-239-35P-12

Figure 18. Engine accessories.




Figure 13. Frame and fuel tank.

MU E 239 35P 13

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
1040-076-8849	9	2	1040-906-7901	4	15
1040-081-8079	13	15	1040-906-7902	9	8
1040-083-2606	1	1	1040-906-7905	7	13
1040-083-2607	1	3	1040-906-7906	7	14
1040-083-2608	1	9	1040-906-7909	4	16
1040-083-2614	1	7	1040-921-5291	13	1
1040-083-2617	3	5	1040-921-5294	7	17
1040-084-0436	12	6	1040-921-5295	10	7
1040-084-0438	2	16	1040-921-5296	10	6
1040-727-3731	4	11	1040-921-5297	12	9
1040-759-3895	9	9	1040-921-5298	13	13
1040-759-9767	9	4	1040-921-5299	3	4
1040-763-3254	13	2	1040-921-5300	3	9
1040-764-5948	5	6	1040-921-5301	10	1
1040-764-5949	5	2	1040-971-4920	11	11
1040-784-7455	4	12	1040-971-4921	11	9
1040-788-5373	4	4	1040-976-8980	13	26
1040-788-5374	-	-	1040-994-7985	13	9
1040-863-7451	1	4	1270-733-1322	6	2
1040-906-7899	2	14			

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
1270-830-2836	3	3	4310-906-1008	9	18
	6	3			
2805-068-7510	11	5	4310-979-9284	6	6
2805-759-3894	9	16	4310-979-9287	8	15
2910-912-9485	13	9	4310-979-9288	8	14
2990-972-2318	11	2	4310-979-9289	8	13
3020-971-1366	11	6	4310-979-9294	8	11
3110-100-2394	9	7	4310-979-9295	6	22
3110-227-3181	9	11	4310-979-9296	7	19
3110-902-3397	9	11	4310-979-9299	-	-
3110-902-3398	9	7	4310-979-9300	-	-
3120-993-0093	4	13	4310-979-9301	-	-
4010-958-0633	13	23	4310-980-0664	9	13
4020-233-6555	1	8		3	1
4030-063-3979	13	25	4310-981-7579	6	1
4030-956-6126	13	22	4310-983-3072	4	5
4310-727-3736	8	20	4310-983-3075	7	8
4310-728-5126	4	3	4310-983-3076	6	7
4310-788-0907	8	23	4310-986-7764	6	21
4310-790-0954	8	9	4310-986-7766	4	14
4310-790-0985	8	24	4310-986-7767	8	16
4310-792-1491	5	1	4310-992-5746	9	8

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
4730-197-2916	6 8	7 1	5305-614-3423	4	8
4730-231-3026	2	20	5305-806-1800	8	18
4730-277-5083	6 7 8	8 9 2	5305-842-5646	4	20
			5305-899-3002	4 9	1 12
4730-277-6372	2	9	5305-939-9190	11	1
4730-287-0092	10	3	5305-984-6211	10	5
4730-289-3070	13	12	5305-984-6215	8	6
4730-788-0902	2	8	5305-993-2459	13	17
4730-908-6292	2	15	5306-064-8407	11	10
4730-977-7663	2	12	5306-559-0474	9	13
4730-979-9281	7	17	5306-754-1787	2	4
4730-979-9296	7	19	5306-879-2800	1	2
4820-254-8640	12	8	5306-964-9603	4	9
4820-907-3448	2	13	5306-999-0488	4	17
5305-043-6749	2 12 13	2 1 3	5310-012-0379	9	14
			5310-012-1753	11	8
5305-068-0500	11	7	5310-061-7325	1 13	6 16
5305-068-0507	13	20	5310-183-4406	8	8
5305-253-5609	9	3	5310-194-0637	13	18
5305-614-0246	10	11	5310-231-3026	2	20

Section

INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Stock Number	Figure No.	Item No.	Stock Number	Figure No.	Item No.
5310-270-8810	5	3	5315-727-1636	8	25
	12	4			
5310-275-3683	3	7	5315-788-5372	9	10
5310-282-7834	2	18	5320-999-0397	13	14
5310-543-5933	11	3	5330-171-5099	3	5
5310-550-9449	6	11	5330-186-1295	6	9
	7	12		7	10
	8	19		8	3
	9	1	5330-186-4947	2	8
5310-559-0070	4	2	5330-263-8028	2	9
	4	7			
5310-576-5752	4	19	5330-263-8030	12	5
	5	4	5330-263-8031	13	11
	8	7			
	12	3	5330-265-1075	13	24
5310-596-7691	2	3	5330-582-7289	10	4
5310-596-7957	2	6	5330-727-2240	8	17
	8	5			
	10	2	5330-788-0906	3	6
	13	7			
5310-616-3056	2	19	5330-988-8808	7	16
5310-788-0900	4	10	5330-993-0084	9	6
5310-809-8546	13	4	5330-993-0085	9	17
5310-849-7733	1	5	5330-999-0462	13	5
5310-877-5796	13	10	5330-999-0478	7	15
5310-934-9751	12	4	5330-999-0677	8	10
			5340-079-7837	12	2

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>	<u>Stock Number</u>	<u>Figure No.</u>	<u>Item No.</u>
5340-205-6301	2	1			
5340-282-8335	13	6			
5340-285-7010	4	18			
5340-597-9408	13	8			
5340-769-5311	4	6			
5340-804-6855	8	21			
5340-977-7247	13	19			
5340-989-6774	6	5			
5340-989-6775	7	14			
5340-989-6776	8	12			
7690-728-5129	3	10			

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
A2121	95138	2	12	B68-13-1567	81361	2	16
A68-13-1523	81361	13	19	B81-1-526	81361	13	25
A68-13-1528	81361	11	10	B81-1-6878	81361	1	2
A81-1-882	81361	13	22	C68-13-1572	81361	11	2
AN381-2-10	88044	6	14	D68-13-1551	81361	1	1
AN381-15-16	88044	6	15	D68-13-1570	81361	1	7
AN6289D6	88044	6	8	DB1-1-6869-1	81361	1	3
AN6289-4	88044	2	9	DB1-1-6872-1	81361	1	9
AN814-5D	88044	10	3	DB1-1-6876	81361	1	4
AN833-4	88044	2	20	LP20074-03-03	03038	4	17
AN833-6D	88044	6	7	MIL-C-271	81349	13	23
AN837-6D	88044	7 8	18 1	MIL-C-2533	81349	1	8
AN911-1	88044	12	10	MS134355	96906	10	15
AN924-10D	88044	2	18	MS15795-311	96906	1	5
AN960PD10	88044	8	8	MS16625-4037	96906	8	21
B68-13-1532	81361	11	6	MS20074-03-03	96906	2	4
B68-13-1540	81361	11	11	MS20364-1032A	96906	2 8 13	6 5 7
B68-13-1541	81361	11	9	MS21044N4	96906	13	10
B68-13-1560	81361	13	26	MS21045-4	96906	13	16
B68-13-1566	81361	12	6	MS21318-13	96906	9	3

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

Reference No.	Mfg Code	Fig No.	Item No.	Reference No.	Mfg Code	Fig No.	Item No.
MS21333-67	96906	12	2	MS35226-62	96906	2	2
MS2191900-4	96906	2	1			12	1
MS21919FH	96906	13	6	MS35265-43	96906	13	3
MS21919F10	96906	13	8			4	8
MS27183-8	96906	13	4	MS35265-69	96906	4	20
MS28777-4	96906	2	10	MS35266-63	96906	10	11
MS28777-6	96906	6	9	MS35275-265	96906	11	1
MS28783-6	96906	3	2	MS35292-32	96906	9	13
MS29512-04	96906	2	11	MS35333-38	96906	4	2
MS29512-08	96906	13	11			4	7
MS29512-6	96906	12	5	MS35333-39	96906	4	19
MS29513-218	96906	13	24			8	7
MS29561-013	96906	10	9	MS35333-73	96906	11	3
MS29561-127	96906	8	10	MS35335-3	96906	11	8
MS29561-217	96906	7	16	MS35335-32	96906	2	3
MS29561-229	96906	8	17	MS35335-40	96906	3	4
MS35206-242	96906	4	1	MS35335-41	96906	2	19
		9	12	MS35337-26	96906	9	14
MS35206-264	96906	10	5	MS35650-104	96906	5	3
MS35206-268	96906	8	6			11	4
MS35207-283	96906	13	17	MS35650-302	96906	12	4
				MS35842-14	96906	2	15
				MS9015-08	96906	13	12

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
MS90725-3	96906	11	7	3260124	78385	4	9
MS90726-7	96906	13	20	3260125	78385	4	13
MS9320-10	96906	13	18	3260127	78385	9	9
PA821-0604	92003	2	8	3260128	78385	7	3
03L05X3A	43334	9	7	3260129	78385	6	18
08279	78385	6	19	3260130	78385	6	13
00-A-250/11	81348	9	15	3260132	78385	4	14
1-A0-8-111	88408	11	5	3260133	78385	6	12
116-B100-14	78385	2	13	3260135	78385	8	9
11681-81N	30327	12	9	3260139	78385	8	24
130A0456	78385	10	4	320142	78385	8	20
130A457	57733	6	10	3260143	78385	8	23
130B2746	78385	6	1	3260144	57733	8	22
130B1136	78385	6	21	3260146	78385	8	14
1481206	80201	9	17	3260147	78385	8	11
1483006	80201	9	6	3260148	78385	6	5
2740251	78385	6	2	3260149	78385	8	13
274103	78385	6	3	3260153	78385	8	25
305	28986	2	17	3260159	78385	7	17
				3260161	78385	7	14
3260123	78385	9	8	3260162	57733	6	16

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
3260163	57733	6	17	3260566	78385	10	10
3260164	78385	8	15	3260569	78385	10	14
3260165	78385	8	16	3590175	78385	4	11
3260167	78385	5	5	3750231	78385	6	20
3260168	57733	9	10	3750345	78385	4	5
3260169	78385	7	8	3760100-4	78385	4	15
3260170	78385	6	22	3800178	78385	6	4
3260185	78385	4	6	3800195	78385	6	6
3260188	57733	9	5	3800196	78385	8	12
3260220	78385	9	16	3811000	78385	2	14
3260240	78385	9	18	3811021	78385	3	6
3260243	78385	4	12	3811022	78385	3	1
3260265	78385	10	13	407-0271	78385	13	21
3260281	78385	9	4	412-0093	78385	9	8
3260299	78385	9	2	425-0124	78385	7	14
3260390	78385	4	3	434-0167	78385	13	15
3260391	78385	3	7	434-0230	78385	13	15
3260424	78385	5	1	434-0233	78385	13	2
3260548	57733	4	4	4407-0058	78385	13	13
3260551	78385	2	7	4408-0054	78385	7	17
3260556	78385	10	12	4417-0013	78385	9	18

Section IV. INDEX - FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER

<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>	<u>Reference No.</u>	<u>Mfg Code</u>	<u>Fig No.</u>	<u>Item No.</u>
4421-0021	78385	7	19	742d6	88044	4	18
4428-0167	78385	4	16	803831	33525	12	7
4455-0017	78385	10	1	8599621-330	99974	8	18
4455-0020	78385	5	2	873561	33525	3	5
4455-0021	78385	5	6				
4457-0016	78385	13	9				
448-0480	78385	10	16				
448-0483	78385	7	15				
448-0507	78385	13	5				
457-0023	78385	10	6				
465-0118	78385	7	13				
48A113	78385	3	3				
50FK420	56878	6	11				
500592	10001	12	9				
52TE126	33525	4	10				
614-0014	78385	9	7				
614-0015	78385	9	11				
628-0015	78385	12	8				
628-0041	78385	10	7				
6480042-1	78385	13	14				

By Order of the Secretary of the Army:

Official:

KENNETH G. WICKHAM,
Major General, United States Army,
The Adjutant General.

W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Distribution:

Active Army:

CNGB (1)
USAMB (2)
USAMC (5)
USAMUCOM (5)
USACDC (2)
USACDCEC (10)
USACDC Agcy (2)
USCONARC (10)
ARADCOM (5)
ARADCOM Rgn (5)
OS Maj Comd (5)
Armies (5)
Corps (3)
Div (3)
Instl (2) except
 USAECFB (4)
USMA (10)
Svc Colleges (10)
Br Svc Sch (10) except
 USACMLCS (50)
Gen Dep (5)
Dep (5)
Army Dep (5)
USAARMC (2)
USAFACFS (2)
USAMMCS (2)
USAIC (2)
POE (1)
EAMTMTS (1)
WAMTMTS (1)
PG (5)
USAAPSA (5)

Arsenals (3) except

Edgewood (50)
Ft Knox FLDMS (10)
Units org under fol TOE: 3 ea. UNOINDC
3-7
3-32
3-36
3-47
3-117
3-147
3-500
29-1
29-11
29-15
29-17 (1)
29-21
29-25
29-27 (1)
29-35
29-37 (1)
29-45
29-51
29-55
29-56 (1)
29-57 (1)
29-75
29-79 (1)
29-105
29-106
29-109
29-500

ARNG: State AG (3); Div (1).

USAR: Same as Active Army except allowance is one (1) copy each.

For explanation of abbreviations used, see AR 310-50.

U.S. GOVERNMENT PRINTING OFFICE: 1967 O 291-221-0000

PIN : 024674-000